



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857


Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com



Aluminum Extrusion Stocking Catalog



2479 28th Street - Grand Rapids, MI - 49519



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857

Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com



For 5/16 Slotted Extrusion

Extrusion



EX-1

- 1-1/2" Sq.
- 192" Long
- 5/16 Slot



EX-9

- 1-1/2" Sq.
- 192" Long
- 5/16 Slot




EX-2

- 1-1/2" x 3"
- 192" Long
- 5/16 Slot



EX-67


- 1-1/2" x 3"
- 192" Long
- 5/16 Slot



EX-3


- 3" Sq.
- 192" Long
- 5/16 Slot

Brackets




EB-1

- Angle Bracket
- 1.38" wide
- 1.50" tall
- use w/ EX-9, EX-1




EB-2

- Angle Bracket
- 2.88" wide
- 1.50" tall
- use w/ EX-3, EX-2, EX-67




EB-3

- Angle Bracket
- 1.38" wide
- 3" tall
- use w/ EX-9, EX-1




EB-4

- Angle Bracket
- 2.88" wide
- 3" tall
- use w/ EX-3, EX-2, EX-67




EB-100

- Angle Bracket
- 1.50" wide
- 3" tall
- use w/ EX-9, EX-1




EB-101

- Angle Bracket
- 3" wide
- 3" tall
- use w/ EX-3, EX-2, EX-67




EB-102

- Corner angle
- 1.31" wide
- 1.50" tall
- use w/ EX-9, EX-1




EB-6

- Corner Bracket
- 45 degrees
- 3" long
- use w/ EX-9, EX-1




EB-7

- 45 degrees
- 9" long
- use w/ EX-9, EX-1




EB-10A

- Corner Gusset
- 1.38" wide
- 1.5" tall
- use w/ EX-9, EX-1




EB-11

- Corner Gusset
- 1.35" wide
- 3" tall
- use w/ EX-9, EX-1




EB-12

- Corner Gusset
- 2.88" wide
- 3" tall
- use w/ EX-3, EX-2, EX-67




EB-16

- STEEL ANGLE
- 1.50" wide
- 3" tall
- use w/ EX-9, EX-1




EB-36

- Angle Block
- 1.50" square
- use w/ EX-9, EX-1



EB-111

- Corner Gusset
- 1.50" square
- use w/ EX-9, EX-1



EB-121

- Corner Gusset
- 1.50" wide
- 3" tall
- use w/ EX-9, EX-1



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857


Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com




For 5/16 Slotted Extrusion




EB-22

- Connector Plate
- 4.50" wide & tall
- use w/ EX-9, EX-1, EX-3, EX-2, EX-67



EB-23

- Connector Plate
- 4.50" wide & tall
- use w/ EX-9, EX-3 & EX-2




EB-26

- Connector Plate
- 3" wide,
- 6" tall
- use w/ EX-3, EX-2, EX-67




EB-28

- Connector Plate
- 1.50" wide,
- 6" tall
- use w/ EX-9, EX-1




EB-29

- Connector Plate
- 3" wide,
- 3" tall
- use w/ EX-3




EB-31

- Connector Plate
- 1.50" wide
- 3" tall
- use w/ EX-9, EX-1




EB-33

- Connector Plate
- 1.50" wide
- 3" tall
- use w/ EX-9, EX-1




EB-71

- Connector Plate
- 6" x 6"
- use w/ EX-3, EX-2, EX-67




EB-74

- Connector Plate
- 6" x 6"
- use w/ EX-3, EX-2, EX-67




EB-79

- Connector Plate
- 6" x 6"
- use w/ EX-3, EX-2, EX-67




EF-27

- Internal Corner Bracket
- 2" x 2"
- use w/ EX-9, EX-1




EF-29

- Universal Connector
- use w/ EX-9, EX-1




EF-29A

- Universal Connector
- use w/ EX-9, EX-1




EF-29D

- Double Universal Connector
- use w/ EX-9, EX-1




EB-13LH

- Pivot Join with
- Locking Handle
- use w/ EX-9, EX-1



EB-46

- Adjustable Corner Post
- 1.50" Square
- use w/ EX-9, EX-1



EB-47

- Adjustable Corner Post
- 1.50" x 3"
- use w/ EX-2, EX-67




EB-48

- Adjustable Arm Post
- 1.50" x 4.50"
- use w/ EX-2, EX-67,



EB-65


- Adjustable Arm Post
- 1.50" x 4.50"
- use w/ EX-2, EX-67,



EB-67


- Adjustable Post
- Angle
- 1.50" x 3"
- use w/ EX-2, EX-67,

Panel Mount



EB-80

- Panel Mounting Angle
- 1" x 1"
- use w/ EX-9, EX-1, EX-3, EX-2, EX-67



EB-81

- Corner Panel Mounting Angle
- 1" x 1"
- use w/ EX-9, EX-1, EX-3, EX-2, EX-67

2479 28th Street - Grand Rapids, MI - 49519



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857

Fax: 616-538-6847


Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com




For 5/16 Slotted Extrusion

T-Nuts & Screws




EF-1

- Pivot T-Nut
- 5/16-18 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-1A

- Pivot T-Nut
- 1/4-20 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-2

- Economy T-Nut
- 5/16-18 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-2A

- Economy T-Nut
- 1/4-20 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-2D

- Dbl Economy T-Nut
- 5/16-18 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-3

- T-Nut
- 5-16-18 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-4

- Long T-Nut
- 5-16-18 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-55

- Heavy Duty T-Nut
- 5-16-18 thd
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1



EF-12-.63

- Button Head Screw
- 5/16-18 thd
- .63 Length
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1



EF-9-.75

- Turn Lock T-Bolt
- .75 Length
- use w/ EX-9, EX-3, EX-2, EX-67, EX-1




EF-11-.63

- Socket Head Screw
- 5/16-18 thd
- .63 Length
- use w/ EX-9, EX-3, EX-2, EX-1, EX-67



EF-62


- Anchor Fastener
- use w/ EX-9, EX-3, EX-2, EX-1, EX-67



EF-65


- Pivot T-nut with Set Screw
- 5/16-18 thd

Adjustable Legs




EAL-1

- Adjustable Leg
- 1-3/8" DIA.
- 2.19" tall
- 5/16-18 thd
- 250 lb max load ea
- use w/ EX-9 & EX-1




EAL-2

- Adjustable Leg
- 1-7/8" DIA.
- 3" tall
- 3/8-16 thd
- 400 lb max load ea
- use w/ EX-9 & EX-1




EAL-3

- Adjustable Leg
- 1-7/8" DIA.
- 3" tall
- 1/2-13 thd
- 5000 lb max load ea
- use w/ EX-3 & EX-2




EAL-E1

- Economy Leg
- 3/4" DIA
- 1-1/2" tall
- 5/16-18 thd
- 1700 lb max load ea
- use w/ EX-9




EAL-E3

- Economy Leg
- 1-1/16" DIA
- 1-1/2" tall
- 1/2-13 thd
- 4200 lb max load ea
- use w/ EX-3 & EX-2



EBP-3

- Leveling Anchor Plate
- 1/2-13 thd
- 3" X 4.50"



EBP-5

- Caster Mounting Plate
- 3" X 4"

2479 28th Street - Grand Rapids, MI - 49519



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857


Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com




Casters



EC-S1


- Stem Caster
- 2" DIA
- 3/8" thd
- 80lb max load ea
- use w/ EX-9, EX-1



EC-S2


- Stem Caster
- 3" DIA
- 3/8" thd
- 90lb max load ea
- use w/ EX-9, EX-1

Plastic Covers




EF-19-A

- Plastic Cover
- use w/ EX-9, EX-1



EF-19-B

- Plastic Cover
- use w/ EX-2, EX-67



EF-19-C


- Plastic Cover
- use w/ EX-3



EF-14


- Push Lock Fastener

Door Handles




EF-15A

- Door Handle
- 4-1/2" Long




EF-15B

- Door Handle
- 5-1/4" Long




EF-40A

- Door Handle
- .875 dia mounting hole




EF-40B

- Door Handle
- Key Lock
- .875 dia mounting hole




EF-32-3

- Adjustable Locking Handle (Male)
- .78 Long



EF-33-2


- Adjustable Locking Handle (Female)
- 3.07 Long
- Tapped for 5/16



EF-170


- Dead Bolt Latch

Door Hinges




EF-20

- Plastic Door Hinge
- 2-1/2" x 1-1/2"
- use w/ EX-6, EX-1




EF-21

- Door Hinge
- 3" wide
- 1.50" on center
- .328 dia thru holes




EF-70

- Hidden Door Hinge
- 4" wide
- 3" on center
- 1/4-20 Drilled and Countersunk




EF-22A

- Mechanical Door Latch
- 1/4-20 Drilled and Countersunk




EF-22HD

- Heavy Duty Magnetic Latch Assembly



EF-24

- Mechanical Latch



EF-78

- Mechanical Door Latch

2479 28th Street - Grand Rapids, MI - 49519



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857

Fax: 616-538-6847


Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com



For 5/16 Slotted Extrusion


Panel Gasket



EB-45 X 36'


- Thin Panel Gasket
- 36 feet long
- use w/ EX-9, EX-1, EX-3, EX-2, EX-67

T-Slots



EF-23B


- Black T-Slot
- 6 feet long
- use w/ EX-9, EX-1, EX-3, EX-2, EX-67



EB-38G


- Wire Mesh Rubber Retaining Strip
- Length in Feet
- use w/ EX-9, EX-1, EX-3,

Slides



EB-93


- Single Mount Linear Mount
- Bearing material - Delrin
- use w/ EX-9 & EX-2
- EX-2, EX-67



EF-79


- Hanger Slider Track
- 5/16 Slot Size
- Color is Safety Yellow

Foot Mounts




EB-41

- Foot Mount
- Black Powder Coat
- use w/ EX-9



EB-42

- Double Foot Mount
- Black Powder Coat
- use w/ EX-67, EX-2



EB-43

- Foot Mount
- Black Powder Coat
- use w/ EX-3



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857

Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com



For 1/4 Slotted Extrusion

Extrusion




EX-11

- 1" Sq.
- 192" Long
- 1/4" Slot



EX-12


- 1" x 2"
- 192" Long
- 1/4" Slot



EX-22


- 2" Sq.
- 192" Long
- 1/4" Slot

Brackets




11-1

- Angle Bracket
- 1" Wide
- 1" Tall
- use w/ EX-11




11-2

- Angle Bracket
- 1" Wide
- 2" Tall
- use w/ EX-11




11-3

- Angle Bracket
- 1" Wide
- 2" Tall & Long
- use w/ EX-11




11-6

- Angle Bracket
- 2" Wide
- 2" Tall
- use w/ EX-12 & EX-22




11-14

- Angle Bracket
- 3" Wide
- 2" Tall
- use w/ EX-2



11-20

- Connecting Plate
- 3" wide & tall
- use w/ EX-11, EX-12, & EX-22




11-21

- Connecting Plate
- 3" wide & tall
- use w/ EX-11, EX-12, & EX-22




11-23

- Connecting Plate
- 1" Wide
- 3" Long
- use w/ EX-11 & EX-12




11-25

- Connector Plat
- 4" wide & tall
- use w/ EX-12 & EX-22




11-27

- Connecting Plate
- 2" Wide
- 4" Long
- use w/ EX-12 & EX-22




11-38

- Connecting Plate
- 1" Wide
- 3" Long
- use w/ EX-11 & EX-12




11-41

- Connector Plate
- 2" wide
- 3" tall
- use w/ EX-12 & EX-22




11-42

- Connector Plat
- 4" wide & tall
- use w/ EX-12 & EX-22




11-29

- Corner Bracket
- 1" Wide
- use w/ EX-11



11-170

- Corner Bracket
- 1" Wide
- use w/ EX-11



11-261

- Internal Corner Bracket
- 2" x 2"



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857

Fax: 616-538-6847


Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com




For 1/4 Slotted Extrusion

T-Nuts & Screws



11-201

- Pivot T-Nut
- 1/4-20 thd
- use w/ EX-11, EX-12 & EX-22




11-205

- Heavy Duty Pilot T-Nut
- 1/4-20 thd
- use w/ EX-11, EX-12 & EX-22



11-210

- Economy T-Nut
- 1/4-20 thd
- use w/ EX-11, EX-12, & EX-22



11-211

- Economy T-Nut
- 10-32 thd
- use w/ EX-11, EX-12, & EX-22



11-215

- Economy T-Nut
- 1/4-20 thd
- use w/ EX-11, EX 12 & EX-22



3287

- Triple T-Nut
- 1/4-20 thd
- use w/ EX-11, EX 12 & EX-22




11-220

- Socket Head Screw 3
- 1/4-20 x 1/2 thd
- 3/8" long

11-221

- Socket Head Screw
- 1/4-20 x 1/2 thd



11-230

- Button Head Screw
- 1/4-20 x 1/2 thd
- 3/8" long

11-231


- Button Head Screw
- 1/4-20 x 1/2 thd
- 1/2" long



11-240


- 1/4" Harden Steel Washer
- Black Oxide

Adjustable Legs



11-35

- Adjustable Leg
- 1" dia
- 1/4-20 thd
- use w/ EX-11



11-36


- Adjustable Leg
- .56 dia
- 1/4-20 thd
- use w/ EX-11

Plastic Covers




11-250

- Plastic End Cap
- use w/ EX-11



11-257

- Plastic End Cap
- use w/ EX-12



11-258


- Plastic End Cap
- use w/ EX-22



11-251


- Push Lock fastener

Wheel Casters




11-111

- Swivel caster w/ brake
- 4" dia
- Max load 255lb
- use w/ EX-22 (must use 11-50 mounting plate)




11-120

- Fixed Caster
- 3" dia
- Max load 250lb
- use w/ EX-22 (must use 11-50 mounting plate)




11-121

- Fixed Caster
- 4" dia
- Max load 255lb
- use w/ EX-22 (must use 11-50 mounting plate)




11-46A

- Leveling Plate
- 2" sq
- use w/ EX-22




11-50

- Caster Plate
- use w/ EX-22, 11-110, & 11-120



11-270

- Stem Caster Bracket
- 1" wide
- 2.50" tall
- use w/ EX-11



11-242

- Anchor Fastener



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857


Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com



For 1/4 Slotted Extrusion




11-10

- Adjust Corner Post
- 1" wide & tall
- use w/ EX-11




11-11

- Corner Post Arm
- 4" Long
- use w/ 11-10 (EX-11)




11-24

- 3-Way Castle Corner
- 1" Sq.
- use w/ EX-11




11-61

- Steel Angle Bracket
- Left Hand
- use w/ EX-11 & EX-12



11-62


- Steel Angle Bracket
- Right Hand
- use w/ EX-11 & EX-12



11-100


- Pressure Manifold Plate
- 2" sq
- use w/ EX-22

Slides



11-93LH


- Single Mount Linear Mount
- Bearing material - Delrin
- use w/ EX-11 & EX-12



11-94LH


- Single Mount Linear Mount
- Bearing material - Delrin
- use w/ EX-12 & EX-22

Panel Gasket



11-296 x 36

- Thin Panel Gasket
- 36" long
- use w/ EX-11, EX-12 & EX-22



11-246

- T-Slot Black
- 6 feet long



RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857


Fax: 616-538-6847

Website: www.rapidcontrol.com

E-Mail: sales@rapidcontrol.com



Wire Mesh



EB-38-1-48" X 96"

- 1" Sq opening
- 12 gage
- 48" wide x 96" long
- **Black**

EB-38-1/2-48" X 96"

- 1/2" Sq opening
- 16 gage
- 48" wide x 96" long
- **Black**


EB-38-1Y-48" X 96"

- 1" Sq opening
- 12 gage
- 48" wide x 96" long
- **Yellow**

EB-38-1/2Y-48" X 96"


- 1/2" Sq opening
- 16 gage
- 48" wide x 96" long
- **Yellow**

Brackets




EB-39A

- Wire Mesh Bracket
- use w/ EX-6, EX-3, & EX-2



EB-39B


- Wire Mesh Bracket
- use w/ EX-6, EX-3, & EX-2



11-30

- Wire Mesh Bracket
- use w/ EX-11, EX-12, & EX-22

Assemblies




Perimeter Guarding

- Available in different sizes
- Can be built with wire mesh or Plexiglas
- Wire Mesh available in black or yellow
- Door can be mounted
- Can be modular designed for easy assembly
- Can be mounted to the floor using foot mounts



Adjustable Work Stations

- Adjustable Lift Tables
- Available in different sizes
- Manual lift
- Electric lift
- Can either be top lift or bottom of the leg lift





RAPID CONTROL SERVICE, INC.

Partners In Automation Since 1964

PNEUMATIC / ELECTRICAL / RESISTANCE WELDING

Phone: 616-538-1111

WATTS: 1-800-632-1857


Fax: 616-538-6847

Website: www.rapidcontrol.com


E-Mail: sales@rapidcontrol.com




EX-1




EX-9




EX-2




EX-67




EX-3




EX-11



EX-12



EX-22



**Aluminum
Extrusions
Structural**

2479 28th Street - Grand Rapids, MI - 49519



PNEUMATIC COMPONENTS • CYLINDERS • VALVES • FITTINGS • TUBING



AUTO FEED DRILLS & TAPPERS



FILTERS • REGULATORS • LUBRICATORS



ALUMINUM EXTRUSION



AIR CYLINDERS



VACUUM PUMPS



TIMERS • COUNTERS



RODLESS CYLINDERS • SLIDES • GRIPPERS



SWITCHES



RESISTANCE WELD CONTROLS



WELD TIPS & CAPS



END OF ARM TOOLING



CABLES AND SENSORS

(R) **RAPID CONTROL SERVICE, INC.**
2479 28th Street
Grand Rapid, MI 49519
Ph: 616-538-1111 Fax: 616-538-6847